

Publications JARPA

- Abe, H. and Goto, M. 2002. The Application of Microsatellite DNA for Determining Population Structure of Minke Whale. pp. 109-113. In: Nishimura, A. ed. *Technical Reports of the Hokkaido National Fisheries Research Institute No.5*. pp.113. Hokkaido National Fisheries Research Institute, Hokkaido.
- Amemiya, K., Iwanami, Y., Kobayashi, T., Terao, T., Fukui, Y., Ishikawa, H., Ohsumi, S., Hirabayashi, M. and Hochi, S. 2004. Acquirement of Oocyte-activating Factor in Antarctic Minke Whale (*Balaenoptera bonaerensis*) Spermatogenic Cells, Assessed by Meiosis Resumption of Microinseminated Mouse Oocytes. *J. Mamm. Ova Res.* 21: 149-156.
- Aono, S., Tanabe, S., Fujise, Y., Kato, H. and Tatsukawa, R. 1997. Persistent organochlorines in minke whale (*Balaenoptera acutorostrata*) and their prey species from the Antarctic and the North Pacific. *Environmental Pollution* 98: 81-89.
- Asada, M., Tetsuka, M., Ishikawa, H., Ohsumi, S. and Fukui, Y. 2001. Improvement on in Vitro Maturation, Fertilization and Development of Minke Whale (*Balaenoptera acutorostrata*) Oocytes. *Theriogenology* 56(4): 521-533.
- Asada, M., Horii, M., Mogoe, T., Fukui, Y., Ishikawa, H. and Ohsumi, S. 2000. In Vitro Maturation and Ultrastructural Observation of Cryopreserved Minke Whale (*Balaenoptera acutorostrata*) Follicular Oocytes. *Biology of Reproduction* 62(2): 253-259.
- Asada, M., Wei, H., Nagayama, R., Tetsuka, M., Ishikawa, H., Ohsumi, S. and Fukui, Y. 2001. An attempt at intracytoplasmic sperm injection of frozen-thawed minke whale (*Balaenoptera bonaerensis*) oocytes. *Zygote* 9(November): 299-307.
- Bakke, I. Johansen, S., Bakke, O. and El-Gewely, M.R. 1996. Lack of population subdivision among the minke whales (*Balaenoptera acutorostrata*) from Icelandic and Norwegian waters based on mitochondrial DNA sequences. *Marine Biology* 125: 1-9.
- Bannister, J.L., Pastene, L.A. and Burnell, S.R. 1999. First record of movement of a southern right whale (*Eubalaena australis*) between warm water breeding grounds and the Antarctic ocean, South of 60°S. *Marine Mammal Science* 15(4):1337-1342.
- Bregh, M. O., Butterworth, D. S. and Punt, A. E. 1991. Further examination of the potential information content of age-structure data from Antarctic minke whale research catches. *Rep. int. Whal. Commn* 41: 349-361.
- Butterworth, D. S. and Punt, A. E. 1990. Some preliminary examinations of the potential information content of age-structure data from Antarctic minke whale research catches. *Rep. int. Whal. Commn* 40: 301-315.
- Butterworth, D. S. and Geromont, H. F. 1996. On the provision of advice on the effect on stock(s) of scientific permit catches, with particular reference to proposed research catches of minke whales from Antarctic Area IV. *Rep. int. Whal. Commn* 46: 653-655.
- Butterworth, D. S., Punt, A. E., Geromont, H. F., Kato, H. and Miyashita, T. 1996. An adapt approach to the analysis of catch-at-age information for Southern Hemisphere minke whales. *Rep. int. Whal. Commn* 46: 349-359.
- Butterworth, D. S., Punt, A. E. Geromont, H. F., Kato, H. and Fujise, Y. 1999. Inferences on the dynamics of Southern Hemisphere minke whales from ADAPT analyses of catch-at-age information. *J. Cetacean Res. Manage.* 1(1): 11-32.

- Fujihira, T., Kinoshita, M., Sasaki, M., Ohnishi, M., Ishikawa, H., Ohsumi, S. and Fukui, Y. 2004. Comparative Studies on Lipid Analysis and Ultrastructure in Porcine and Southern Minke Whale (*Balaenoptera bonaerensis*) Oocytes. *Journal of Reproduction and Development* 50(4): 525-532.
- Fujise, Y., Ishikawa, H., Saino, S., Nagano, M., Ishii, K., Kawaguchi, S., Tanifuji, S., Kawashima, S. and Miyakoshi H. 1993. Cruise report of the 1991/92 Japanese research in Area IV under the special permit for Southern Hemisphere minke whales. *Rep. int. Whal. Commn* 43: 357-371.
- Fukui, Y., Mogoe, T., Terawaki, Y., Ishikawa, H., Fujise, Y. and Ohsumi, S. 1995. Relationship between physiological status and serum constituent values in minke whales (*Balaenoptera acutorostrata*). *Journal of Reproduction and Development* 41(3): 203-208.
- Fukui, Y., Mogoe, T., Jung, Y.G., Terawaki, Y., Miyamoto, A., Ishikawa, H., Fujise, Y. and Ohsumi, S. 1996. Relationships among morphological status, steroid hormones, and post-thawing viability of frozen spermatozoa of male minke whales (*Balaenoptera acutorostrata*). *Marine Mammal Science* 12(1): 28-37.
- Fukui, Y., Mogoe, T., Ishikawa, H. and Ohsumi, S. 1997. Factors affecting in vitro maturation of minke whale (*Balaenoptera acutorostrata*) follicular oocytes. *Biology of Reproduction* 56: 523-528.
- Fukui, Y., Mogoe, T., Ishikawa, H. and Ohsumi S. 1997. In Vitro Fertilization of in Vitro Matured Minke Whale (*Balaenoptera acutorostrata*) Follicular Oocytes. *Marine Mammal Science* 13(3): 395-404.
- Fukui, Y. 2002. In Vitro Maturation and Fertilization of Minke Whale, *Balaenoptera acutorostrata*, Follicular Oocytes (Chapter 31). pp 344-355. In: Pfeiffer, C. J. ed. *Molecular and Cell Biology of Marine Mammals*. Krieger Publishing Company, Florida.
- Fukui, Y., Togawa, M., Abe, N., Takano, Y., Asada, M., Okada, A., Iida, K., Ishikawa, H. and Ohsumi, S. 2004. Validation of the Sperm Quality Analyzer and the Hypo-osmotic Swelling Test for Frozen-thawed Ram and Minke Whale (*Balaenoptera bonarensis*) Spermatozoa. *Journal of Reproduction and Development* 50(1): 147-154.
- Hasunuma, R., Ogawa, T., Fujise, Y. and Kawanishi, Y. 1993. Analysis of selenium metabolites in urine samples of minke whale (*Balaenoptera acutorostrata*) using ion exchange chromatography. *Comparative Biochemistry and Physiology* 104C (1): 87-89.
- Hayashi, K., Nishida, S., Yoshida, H., Goto, M., Pastene, L.A. and Koike, H. 2003. Sequence variation of the *DQB* allele in the cetacean MHC. *Mammal Study* 28: 89-96.
- Hedley S.L., Buckland, S.T. and Borchers, D.L. 1999. Spatial modeling from line transect data. *J. Cetacean Res. Manage.* 1(3): 255-264.
- Ichii, T. 1990. Distribution of Antarctic krill concentrations exploited by Japanese krill trawlers and minke whales. *Proceedings of the NIPR Symposium on Polar Biology* 3: 36-56.
- Ichii, T. and Kato, H. 1991. Food and daily food consumption of southern minke whales in the Antarctic. *Polar Biology* 11: 479-487.
- Ichii, T., Shinohara, N., Fujise, Y., Nishiwaki, S. and Matsuoka, K. 1998. Interannual changes in body fat condition index of minke whales in the Antarctic. *Marine Ecology Progress Series* 175: 1-12.
- Iga, K., Fukui, Y., Miyamoto, A., Ishikawa, H. and Ohsumi, S. 1996. Endocrinological observations of female minke whales (*Balaenoptera acutorostrata*). *Marine Mammal Science* 12(2): 296-301.

- Ikumi, S., Sawai, K., Takeuchi, Y., Iwayama, H., Ishikawa, H., Ohsumi, S. and Fukui, Y. 2004. Interspecies Somatic Cell Nuclear Transfer for *In Vitro* Production of Antarctic Minke Whale (*Balaenoptera bonaerensis*) Embryos. *Cloning and Stem Cells* 6(3): 284-293.
- Ishikawa, H., Amasaki, H., Dohguchi, H., Furuya, A. and Suzuki, K. 1999. Immunohistological distributions of fibronectin, tenascin, type I, III and IV collagens, and laminin during tooth development and degeneration in fetuses of minke whale, *Balaenoptera acutorostrata*. *The Journal of Veterinary Medical Science* 61(3): 227-232.
- Ishikawa, H., Amasaki, H. 1995. Development and Physiological Degradation of Tooth Buds and Development of Rudiment of Baleen Plate in Southern Minke Whale, *Balaenoptera acutorostrata*: *The Journal of Veterinary Medical Science*:665-670.
- Ishikawa, H. and Shigemune, H. 2005. Improvements in More Humane Killing Methods of Antarctic Minke Whales, *Balaenoptera bonaerensis*, in the Japanese Whale Research Program under Special Permit in the Antarctic Sea (JARPA). *Jpn. J. Zoo Wildl. Med.* 10(1): 27-34.
- Iwata, H., Tanabe, S., Sakai, N., and Tatsukawa, R. 1993. Distribution of persistent organochlorines in the oceanic air and surface seawater and the role of ocean on their global transport and fate. *Environ. Sci. Technol.* 27: 1080-1098.
- Iwayama, H., Hochi, S., Kato, M., Hirabayashi, M., Kuwayama, M., Ishikawa, H., Ohsumi, S. and Fukui, Y. 2004. Effects of cryodevice type and donor's sexual maturity on vitrification of minke whale (*Balaenoptera bonaerensis*) oocytes at germinal vesicle-stage. *Zygote* 12(4): 333-338.
- Iwayama, H., Ishikawa, H., Ohsumi, S. and Fukui, Y. 2005. Attempt at In Vitro Maturation of Minke Whale (*Balaenoptera Bonaerensis*) Oocytes Using a Portable CO₂ Incubator. *Journal of Reproduction and Development* 51(1): 69-75.
- Kasamatsu, F., Kishino, H. and Hiroyama, H. 1990. Estimation of the number of minke whale (*Balaenoptera acutorostrata*) schools and individuals based on the 1987/88 Japanese feasibility study data. *Rep. int. Whal. Commn* 40: 239-247.
- Kasamatsu, F., Kishino, H. and Taga, Y. 1991. Estimation of southern minke whale abundance and school size composition based on the 1988/89 Japanese feasibility study data. *Rep. int. Whal. Commn* 41: 293-301.
- Kasamatsu, F., Yamamoto, Y., Zenitani, R., Ishikawa, H., Ishibashi, T., Sato, H., Takashima, K. and Tanifuji, S. 1991. Report of the 1990/91 southern minke whale research cruise under scientific permit in Area V. *Rep. int. Whal. Commn* 43: 505-522.
- Kasamatsu, F., Matsuoka, K. and Hakamada, T. 2000. Interspecific relationships in density among the whale community in the Antarctic. *Polar Biol.* (2000) 23: 466-473.
- Kasamatsu, F., Nishiwaki, S. and Ishikawa, H. 1995. Breeding areas and southbound migrations of southern minke whales *Balaenoptera acutorostrata*. *Mar.Ecol.Preg.Ser.* 119:1-10.
- Kato, H., Fujise, Y., Yoshida, H., Nakagawa, S., Ishida, M. and Tanifuji, S. 1990. Cruise report and preliminary analysis of the 1988/89 Japanese feasibility study of the special permit proposal for southern hemisphere minke whales. *Rep. int. Whal. Commn* 40: 289-300.
- Kato, H., Hiroyama, H., Fujise, Y. and Ono, K. 1989. Preliminary report of the 1987/88 Japanese feasibility study of the special permit proposal for Southern Hemisphere minke whales. *Rep. int. Whal. Commn* 39: 235-248.

- Kato, H., Kishino, H. and Fujise, Y. 1990. Some analyses on age composition and segregation of southern minke whales using samples obtained by the Japanese feasibility study in 1987/88. *Rep. int. Whal. Commn* 40: 249-256.
- Kato, H., Fujise, Y. and Kishino, H. 1991. Age structure and segregation of southern minke whales by the data obtained during Japanese research take in 1988/89. *Rep. int. Whal. Commn* 41: 287-292.
- Kato, H. and Miyashita, T. 1991. Migration strategy of southern minke whales in relation to reproductive cycles estimated from foetal lengths. *Rep. int. Whal. Commn* 41: 363-369.
- Kato, H., Zenitani, R. and Nakamura, T. 1991. Inter-reader calibration in age readings of earplug from southern minke whale, with some notes of age readability. *Rep. int. Whal. Commn* 41: 339-343.
- Kato, H. 1995. Migration strategy of southern minke whales to maintain high reproductive rate. *In* : Blix, A. S., Walloe, L. and Ultang, O. (eds.) *Whales, seals, fish and man*. Elsevier, Amsterdam. 465-480.
- Kida, M.Y. 1998. Morphology of the Tracheobronchial Tree and the Route of the Pulmonary Artery in the Fetal Minke Whale (*Balaenoptera acutorostrata*). *Okajimas Folia Anat. Jpn.*75(5): 251-258.
- Kimoto, H., Endo, Y. and Fujimoto, K. 1994. Influence of interesterification on the oxidative stability of marine oil triacylglycerols. *Journal of American Oil Chemists Society* 71(5): 469-473.
- Kishino, H., Kato, H., Kasamatsu, F. and Fujise, Y. 1991. Detection of heterogeneity and estimation of population characteristics from the field survey data: 1987/88 Japanese feasibility study of the Southern Hemisphere minke whales. *Annals of the Institute of Statistical Mathematic* 43(3): 435-453.
- Kunito, T., Watanabe, I., Yasunaga, G., Fujise, Y. and Tanabe, S. 2002. Using trace element in skin to discriminate the populations of minke whale in southern hemisphere. *Marine Environmental Research* 53: 175-197.
- Matsuoka, K., Fujise, Y. and Pastene, L.A. 1996. A sighting of a large school of the pygmy right whale, *Caperea marginata* in the southeast Indian Ocean. *Marine Mammal Science* 12(4): 594-597.
- Matsuoka, K., Watanabe, T., Ichii, T., Shimada, H. and Nishiwaki, S. 2003. Large whale distributions (South of 60°S, 35°E-130°E) in relation to the southern boundary of the Antarctic Circumpolar Current. pp. 26-30. *In*: A.H.L. Huiskes, W.W.C. Gieskes, J.Rozema, R.M.L. Schorno, S.M. van der Vies & W.J. Wolff. eds. *Antarctic Biology in a Global Context*. 338pp. Backhuys Publishers, Leiden, The Netherlands.
- Matsuoka, K., Pitman, R. and Marques, F. 2005. A note on a pigmy right whale (*Caperea marginata*) sighting in the southwestern Pacific Ocean. *J. Cetacean Res. Manage* 7(1): 71-73.
- Mogoe, T., Fukui, Y., Ishikawa, H. and Ohsumi, S. 1998. Morphological Observations of Frozen-Thawed Spermatozoa of Southern Minke Whales (*Balaenoptera acutorostrata*). *Journal of Reproduction and Development* 44(1): 95-100.
- Mogoe, T., Fukui, Y., Ishikawa, H. and Ohsumi, S. 1998. Effects of Diluent Composition and Temperature on Motility and Viability After Liquid Storage and cryopreservation of Minke Whale (*Balaenoptera acutorostrata*) Spermatozoa. *Marine Mammal Science* 14(4): 854-860.
- Mogoe, T., Suzuki, T., Asada, M., Fukui, Y., Ishikawa, H. and Ohsumi, S. 2000. Functional reduction of the Southern minke whale (*Balaenoptera acutorostrata*) testis during the feeding season. *Marine Mammal Science* 16(3): 559-569.

- Muranishi, Y., Sasaki, M., Hayashi, K., Abe, N., Fujihira, T., Ishikawa, H., Ohsumi, S., Miyamoto, A. and Fukui, Y. 2004. Relationship between the appearance of preantral follicles in the fetal ovary of Antarctic minke whales (*Balaenoptera bonaerensis*) and hormone concentrations in the fetal heart, umbilical cord and maternal blood. *Zygote* 12: 125-132.
- Murase, H., Matsuoka, K., Ichii, T. and Nishiwaki, S. 2002. Relationship between the distribution of euphausiids and baleen whales in the Antarctic (35°E-145°W). *Polar Biol* 25: 135-145.
- Murayama, T., Fujise, Y., Aoki, I. and Ishii, T. 1992. Histological characteristics and distribution of ganglion cells in the retinae of the Dall's porpoise and minke whale. pp 137-145. *In: J. Thomas (eds.) Marine Mammals Sensory Systems*. Plenum Press, New York, 1992.
- Murayama, T., Somiya, H., Aoki, I. and Ishii, T. 1992. The distribution of ganglion cells in the retina and visual acuity of minke whale. *Nippon Suisan Gakkaishi* 58(6): 1057-1061.
- Nagasaki, F. 1989. The Facts, "Facts" and Fiction of Scientific Whaling. *Science & Technology in Japan*: 36-47.
- Nagasaki, F. 1990. The Case for Scientific Whaling. *Nature* 334: 189-190.
- Nagasawa, K., Yamada, T.K. and Ishikawa, H. 1998. Measurements of the skeleton of a minke whale (*Balaenoptera acutorostrata*) from the Antarctic Ocean. *Bulletin of the Yamagata Prefectural Museum* 20: 1-19.
- Nakamura, T. 1991. A new look at a Bayesian cohort model for time-series data obtained from research takes of whales. *Rep. int. Whal. Commn* 41: 345-348.
- Nakamura, T. 1992. Simulation trials of a Bayesian cohort model for time-series data obtained from research takes of whales. *Rep. int. Whal. Commn* 42: 421-427.
- Nakamura, T. 1993. Two-stage Bayesian cohort model for time-series data to reduce bias in the estimate of mean natural mortality rate. *Rep. int. Whal. Commn* 43: 343-348.
- Nakamura, T., Ohnishi, S. and Matsumiya, Y. 1989. A Bayesian cohort model for catch-at-age data obtained from research takes of whales. *Rep. int. Whal. Commn* 39: 375-382.
- Nishida, S., Pastene, L.A., Goto, M. and Kanda, N. 2003. SRY gene structure and phylogeny in the cetacean species. *Mammal Study* 28: 57-66.
- Ohishi, K., Zenitani, R., Bando, T., Goto, Y., Uchida, K., Maruyama, T., Yamamoto, S., Miyazaki, N. and Fujise, Y. 2003. Pathological and serological evidence of *Brucella*-infection in baleen whales (Mysticeti) in the western North Pacific. *Comparative Immunology Microbiology & Infectious Diseases* 26: 125-136.
- Pastene, L.A., Kobayashi, T., Fujise, Y. and Numachi, K. 1993b. Mitochondrial DNA differentiation in Antarctic minke whales. *Rep. int. Whal. Commn* 43: 349-355.
- Pastene, L.A., Fujise, Y. and Numachi, K. 1994. Differentiation of mitochondrial DNA between ordinary and dwarf forms of southern minke whale. *Rep. int. Whal. Commn* 44: 277-281.
- Pastene, L.A., Goto, M., Itoh, S. and Numachi, K. 1996. Spatial and temporal patterns of mitochondrial DNA variation in minke whale from Antarctic Areas IV and V. *Rep. int. Whal. Commn* 46: 305-314.

- Pastene, L.A., Goto, M. and Kanda, N. 2002. The utility of DNA analysis for the management and conservation of large whales. *Fisheries Science* 68 (Supp. I): 286-289. (Proceedings of International Commemorative Symposium, 70th Anniversary of the Japanese Society of Fisheries Science).
- Sasaki, T., Nikaido, M., Hamilton, H., Goto, M., Kato, H., Kanda, N., Pastene, L.A., Cao, Y., Fordyce, R.E., Hasegawa, M. and Okada, N. 2005. Mitochondrial Phylogenetics and Evolution of Mysticete Whales. *Systematic Biology* 54(1): 77-90
- Suzuki, M., Ishikawa, H., Otani, S., Tobayama, T., Katsumata, E., Ueda, K., Uchida, S., Yoshioka, M. and Aida, K. 2002. The characteristics of adrenal glands and its hormones in cetacean. *Fisheries Science* 68 (Supp.I): 272-275. (Proceedings of International Commemorative Symposium, 70th Anniversary of the Japanese Society of Fisheries Science).
- Suzuki, T., Mogoe, T., Asada, M., Miyamoto, A., Tetsuka, M., Ishikawa, H., Ohsumi, S., Fukui, Y. 2001. Plasma and pituitary concentrations of gonadotropins (FSH and LH) in minke whales (*Balaenoptera acutorostrata*) during the feeding season. *Theriogenology* 55(5): 1127-1141.
- Tamura, T. 2003. Regional Assessments of prey consumption and competition by Marine cetaceans in the world. pp. 143-170. *In: Sinclair, M. and Valdimarsson, G. eds. Responsible Fisheries in the Marine Ecosystem.* 426pp. CABI Publishing, Cambridge.
- Tanaka, S. 1990. Estimation of natural mortality coefficient of whales from the estimates of abundance and age composition data obtained from research catches. *Rep. int. Whal. Commn* 40: 531-536.
- Tanaka, S., Kasamatsu, F. and Fujise, Y. 1992. Likely precision of estimates of natural mortality rates from Japanese research data for Southern Hemisphere minke whales. *Rep. int. Whal. Commn* 42: 413-420.
- Terabayashi, T. and Kawanishi, Y. 1998. Naturally occurring ganglioside lactones in Minke whale brain. *Carbohydrate Research* 307(1998): 281-290.
- Tetsuka, M., Asada, M., Mogoe, T., Fukui, Y., Ishikawa, H. and Ohsumi, S. 2004. The Pattern of Ovarian Development in the Prepubertal Antarctic Minke Whale (*Balaenoptera bonaerensis*). *Journal of Reproduction and Development* 50(4): 381-389.
- Urashima, T., Sato, H., Munakata, J., Nakamura, T., Arai, I., Saito, T., Tetsuka, M., Fukui, Y., Ishikawa, H., Lyndersen, C. and Kovacs, K. M. 2002. Chemical characterization of the oligosaccharides in beluga (*Delphinapterus leucas*) and Minke whale (*Balaenoptera acutorostrata*) milk. *Comparative Biochemistry and Physiology Part B* 132: 611-624.
- Wada, S., Kobayashi, T. and Numachi, K. 1991. Genetic Variability and Differentiation of Mitochondrial DNA in Minke Whales. *Rep. int. Whal. Commn* (special issue 13): 203-215.
- Watanabe, H., Mogoe, T., Asada, M., Hayashi, K., Fujise, Y., Ishikawa, H., Ohsumi, S., Miyamoto, A. and Fukui, Y. 2004. Relationship between Serum Sex Hormone Concentrations and Histology of Seminiferous Tubules of Captured Baleen Whales in the Western North Pacific during the Feeding Season. *Journal of Reproduction and Development* 50(4): 419-427.
- Wei, H., and Fukui, Y. 2000. Fertilizability of ovine, bovine or minke whale (*Balaenoptera acutorostrata*) spermatozoa intracytoplasmically injected into bovine oocytes. *Zygote* 8(3): 267-274.
- Yoshioka, M., Okumura, T., Aida, K. and Fujise, Y. 1994. A proposed technique for quantifying muscle progesterone content in the minke whales (*Balaenoptera acutorostrata*). *Canadian Journal of Zoology* 72: 368-370.